KISS
KISSGROOMING

Professional Pet Drying Equipments Supplier



TD–907L



TD–907T



TD–906



TD–900CG

Distributor Contacts

Producer : Shanghai TOEX International Trading Co., Ltd.
Address : Floor 5, Building 6, No.675 Zhujin Road, Songjiang District, Shanghai, 201615, China

Manufacturer : Shanghai Xunyuan Industrial Co., Ltd.
Address : Building 8, No. 65 First Huandong Road, Jinshan District, Shanghai, China

www.groomart.hu I hello@groomart.hu I www.groomart.eu

KISS
KISSGROOMING

Pet-drying Cabinet

TD–907TW

New Generation



User Manual

ideas for Groom

Brief Introduction

Thank you for purchasing our new-generation drying cabinet!
Aeolus Pet Drying Cabinet TD-907TW provides you with a more comfortable, relaxing, efficient, safer, healthier and easier way to dry your pets after a bath.
Quiet and cat-friendly:
Two models, three-stage wind speed, multi-stage temperature;
Three-layer filtering system collects hair and floc and makes cleaning an easy job;
Super cost-efficient and labor-saving;
Safe and comfortable both for groomers and pets;
Negative ion, aroma and oxygen therapy make a pet-friendly room;
The infrared therapy serves pets with added value;
Easy operation, simple maintenance;
Fashionable and beautiful appearance;
AEOLUS Pet Drying Cabinet Double-door TD-907TW provides you with a bigger room and more comfortable, relaxing,

Parameters

Item		Parameter
Color		Silver/Black
Product Size	Interior	863×483×760
	External	990×715×930
Antibiotic Filter		5
Clean Filter		2
Air Nozzle		32
Air Outlet		2
Door Lock		2
Exhaust Fan		3
Blast Volume(CMH)		1170
Dividing Panel		1

PTC Heater	4
Anion Generator	1
Oxygen Box	1
Phytoncide	1
Near-Infrared Lamp	2
LED Lamp	2
Water Pan	2
Rated Voltage	220V/50Hz or 110V/60Hz
Electricity Consumption	2.5kW
Noise	51-79dB
Product Certification	FCC/CE/ROHS

Note: We may not publish formal notice in written form when the parameters changed after new improvements.

Safety warning



Do not privately disassemble, repair or reform this product, or it may cause injure, electric shock and fire.



Put the product on the horizontal ground when use, or it may cause fault and the product can't work.



Keep the plug and socket in good condition. Don't plug into a substan–dard socket, it may cause electric shock or short circuit.



Do not use power supply whose voltage is not the same with the indicat–ed voltage on the label, or damage or fire may be caused.



Do not reform, bend, warp and drag power cord, or it may cause fire and electric shock.



Remove the water and dust on plug before use .The water and dust is easy to cause bad contact, fire or electric shock.



Consult with AEOLUS customer service center when the plug breakdown.



Unplug the power cord before cleaning or wiping the product, or it may cause electric shock .



Unplug the power cord when finishing using or not using for long time. It may cause fire.



Don not pull power cord or touch plug with wet hand. It will lead to risk of electric shock and fire.



Do not put any nails, needles, chopsticks or other materials into the intake port(filter).It easy to cause electric shock or injure.



Do not put combustible gas near the product, it may cause explosion and accidents



Do not use the product in the place where there may be cigarette smoke, odor or spark. It's easy to cause product fault and fire.



Keep an adequate distance with the neighboring (more than 5cm).



Child should not come into the product or climb the door.



Keep product far from the combustible.



Unplug the power when replace the Near– infrared lamp.



Do not use the product when the environment is too hot or too cold.



Do not use the product under direct sunlight.



Do not use the product in damp places.



Don't block the air pipeline.



Do not use fingers or other things to cover the air port.



Do not put any things on the product.



Do not spray any liquid onto the external. Do not use aniline and banana oil to wipe the product.



Mind the people and pet nearby when opening the door.



Stop using and then contact with our after sales department when the product cannot work properly.

Overview



NO	Parts name	Amount
1	Door Lock	2
2	Air Nozzle	32
3	Waste Pan	2
4	Air Filter Cover	5
5	Operation Panel	1
6	Front Glass Door	2
7	Handgrip	4
8	Casters	4
9	Near-infrared lamp	2
10	Dividing Panel	1

Operation Instructions

Open/ Close Door



--- Open: Hold and pull the doorknob along the direction of arrow to unlock.
--- Close: Push the doorknob along the direction of arrow to close.

Air Nozzle Adjustment



Rotate the air nozzle to adjust the wind direction.

Power Connection



1. Connect the cable with the socket on the back of the product.
   And then plug into 220V/110V power socket.
2. Turn on the air switch.

Operation Panel



Turn on/off

After connecting to the power socket and switching on the air switch on the back, short-press the power button to turn ON or OFF.
During drying/care mode, long-press the power button for 3 seconds to turn on/off the infrared lamp.

Drying Mode

After turning on, press the button of standard mode/drying mode.
Default setting: 36℃/1 hour/ Level 2 wind/Anion/Near-infrared working circuit of 8 minutes' on and 2 minutes' off.

Temperature setting
Click the button of temperature to set temperature.

Wind speed setting
Click the button of wind speed to set wind speed at 3 levels.

Heating time setting
Press the time button to set the heating time at 0.5/1/1.5/2 hours.

Care Mode

After turning on, press the button of care mode.
Default setting: 26℃/1 hour/ Level 2 wind/Anion/Near-infrared at working circuit of 8 minutes'on and 2 minutes'off.

Temperature setting
Click the button of temperature to set temperature.

Wind speed setting
Click the button of wind speed to set wind speed at 3 levels.

Heating time setting
Press the time button to set the heating time at 0.5/1/1.5/2 hours.

Maintenance

Regular Cleaning

Unplug the power cord before cleaning.
Please use environment-friendly detergent to clean.
Clean the product after use; use the product after it totally dries up.
Please use soft cloth with mild detergent to clean the product.

Waste Pan Cleaning



-- Pull out the waste pan along the direction of arrow.
-- The condensate water during working will flow into the waste pan.
Note: The pet may excrete involuntary during drying. Please clean up the waste pan timely in this situation, or it may cause product fault and stinky odor in the drying room).

Near-infrared Lamp Replacement



Switch off the product, wait until the product cools down and replace the lamp.

Filter Parts Replacement

Remove the hair and dust on filter regularly.
Please use vacuum cleaner to clean the filter after use.
Please install the filter component after it totally dries up.
The filter components should be changed per 3–6 mouths.
Change the Phytoncide and oxygen box per 2–3 mouths.

1. Filter on the door



2. Filter on the left side



Oxygen box and Phytoncide are in the filter located on the left of the product.

3. Antibiosis filter (interior)



4. Filter Component Structure



Q and A

The odor with the new product.

This is normal appearance, the parts of product include some resin material parts which will produce odor, it is not product fault, you can safely use.

The product does not run.

Please check if the power cord connects with the socket with the correct voltage. And check if the air switch on the back turns on.

The setting temperature doesn't match the display temperature.

It need a period to reach set temperature after start heating and temperature sensor has 1–2℃ error in running. The interior temperature sensor will adjust the tempera–ture automatically within 2 seconds when the temperature error happen in running. The difference of the running environment may also cause relevant temperature error. The best working temperature is 15℃–25℃.

www.groomart.hu I hello@groomart.hu I www.groomart.eu

The surface of product is hot.
The product could transfer the interior heat to the surface. Don't stack other things on the top or side of the product.

If the time is different for different pets to blow dry.
The time of drying has difference, depending on the towel's wet degree, the thickness of pet's coat, and the humidity of environment.
Please use a dry towel to wipe the coat before drying for a quick drying.

The running noise become louder.
It may increase the noise if not cleaning the hair in filter timely. Noise will also be louder if the air intake is too close to the wall or affixed by other things.

The alarm is heard, and red lamp is lit up on power button.
The product is abnormal, please unplug the power cord and contact with after sale service department.

Package Inspection

The manufacturer is not liable for any damage caused by a third party "Transport or Delivery Company".
The day the unit is delivered, an inspection of the outer packing should be made for any damage to the packing box.
Then the unit should be unpacked carefully; all components, accessories and the product itself should be inspected for any damage or loss.
If any damage is evident, the carrier or dealer should be notified immediately.

Correct Disposal of this product

This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.



Warranty

If you need information or if you have a problem, please visit our website at www.aeoluspet.com or contact our customer care centre in your country.

FULL ONE–YEAR WARRANTY
We warrant each new Aeolus product, model TD–907TW (except filter, lamp, Phytoncide, oxygen box, cord and plug), against defects in materials or workmanship for a period of one year from the date of original purchase, and agrees to repair or replace any defective product without charge. A purchase receipt or other proof of date of original purchase will be required before warranty performance is rendered.

IMPORTANT: This warranty does not cover damage resulting from accident, misuse or abuse, lack of reasonable care, the affixing of any attachment not provided with the product or loss of parts or subjecting the product to any but the specified voltage. Parts such as batteries are also excluded from coverage under this warranty.

WE WILL NOT PAY FOR WARRANTY SERVICE PERFORMED BY A NON–AUTHORIZED REPAIR SERVICE AND WILL NOT REIMBURSE THE CONSUMER FOR DAMAGE RESULTING FROM WARRANTY SERVICE PERFORMED BY A NON–AUTHORIZED REPAIR SERVICE. NO RESPONSIBILITY IS ASSUMED FOR ANY SPECIAL, INCIDENTAL OR NON–CONSEQUENTIAL DAMAGES.

In order to obtain warranty service, simply go to www.aeoluspet.com or call us for assistance.

IF YOU SHIP THE PRODUCT TO A SERVICE CENTRE
Carefully pack and send prepaid, adequately insured and preferably in the original carton.
Include details of the defect claimed, and proof of date of original purchase.
It is suggested that for your protection you return shipments of product by insured mail, insurance prepaid. Damage occurring during shipment is not covered by this warranty.

NOTE: No other warranty, written or oral, is authorized by us. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion and limitations may not apply to you.

Service Support

Contact us if you cannot solve your problem with this manual.

Dallas
11307 Indian Trail, Dallas, Texas 75229, USA.
Tel: +1 469 930 6359
Web: www.aeoluspet.com

Sydney
147 Dwyer Road, Leppington NSW 2179, Australia
Tel: +61 2 9606 4520

Singapore
150 South Bridge Road, Singapore 058727
Tel: + 65-6533 6524 / 9633 2734

Shanghai
Floor 5, Building 6, No. 675, Zhujin Road, Songjiang District, Shanghai, China.
Tel: +86-21-67632060, 67632364